


Cable Trays, Covers, Raceways , all Kind of Bends and accessories



A	Cable Tray type	
		1. Perforated cable trays & Covers
		2. Ladder Cable Trays & Covers
B	Cable Tray Process	
		1. Pre Galvanized
		2. Hot Dip Galvanize
		3. Powder Coated
D	Thickness of Cable Trays	
		1.2 mm
		1.6 mm
		2.0 mm
		2.5 mm
		3.0 mm
D	Size Of Cable Trays	
		Width - 50 mm to 1000 mm
		Height - 50 mm to 100 mm




SR.No.	TYPE SIZE (WIDTH)	SIDE HEIGHT (H)	THICKNESS (T)
1	50 - 1000	25	1.0 TO 3.0
2	50 - 1000	50	1.0 TO 3.0
3	75 - 1000	75	1.0 TO 3.0
4	100 - 1000	100	1.0 TO 3.0

- NOTE :-
1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE STATED.
 2. MATERIAL :- HOT-DIP GALVANIZED / GP
 3. PERFORATED CABLE TRAY
 4. THICKNESS ± 0.20 mm.

Perforated Cable Trays					
Width		Height			
50	25	50	75	100	
100	25	50	75	100	
150	25	50	75	100	
200	25	50	75	100	
250	25	50	75	100	
300	25	50	75	100	
350	25	50	75	100	
400	25	50	75	100	
450	25	50	75	100	
500	25	50	75	100	
550	25	50	75	100	
600	25	50	75	100	
650	25	50	75	100	
700	25	50	75	100	
750	25	50	75	100	
800	25	50	75	100	
850	25	50	75	100	
900	25	50	75	100	
950	25	50	75	100	
1000	25	50	75	100	

Thickness - 1.2, 1.6, 2.0, 2.5, 3.0 mm
Length - 2.5, 3 mtrs
Materials - MS, Pre Galvanize, Hot Dip Galvanize, Powder Coating



LADDER TYPE CABLE TRAY

NOTES

- (1) ALL DIMENSIONS ARE IN MM
- (2) LENGTH ± 10 mm WIDTH & HEIGHT ± 5 mm
- (3) THICKNESS ± 0.20 mm
- (4) POW MATERIAL AS PER IS
- (5) MATERIAL : HOT-DIP/ G.P. / P.C..

SR.No	TYPE SIZE (WIDTH)	SIDE RAIL WITH (SR)	SIDE RAIL HEIGHT (SH)	RW	RH	THICKNESS (T)
1	100 -1000	50, 75 & 100	15	35	15	1.0 TO 3.0

Ladder Cable Trays

Width	Height			
	25	50	75	100
50	25	50	75	100
100	25	50	75	100
150	25	50	75	100
200	25	50	75	100
250	25	50	75	100
300	25	50	75	100
350	25	50	75	100
400	25	50	75	100
450	25	50	75	100
500	25	50	75	100
550	25	50	75	100
600	25	50	75	100
650	25	50	75	100
700	25	50	75	100
750	25	50	75	100
800	25	50	75	100
850	25	50	75	100
900	25	50	75	100
950	25	50	75	100
1000	25	50	75	100

Thickness - 1.2, 1.6, 2.0, 2.5, 3.0 mm

Length - 2.5, 3 mtrs

Materials - MS, Pre Galvanize, Hot Dip Galvanize, Powder Coating